©Shutterstock.com

# HUMIDUR® FP BRUSH LT

Universal anti-corrosion system for cold environments

HUMIDUR.

Let's face corrosion.

# Specifically designed for single coat application use in colder environments

Humidur® FP Brush LT has been specifically designed to ensure that the coating application is **easier in colder environments** and provide a perfect solution for painting during the winter, while **retaining all the benefits of Humidur® coatings**. Can be easily spread out over surfaces by brush, **even at temperatures as low as 0°C.**

# Properties

- Applicable in RH **up to 95%** (no ice on the surface)
- Can be easily spread out over the surface by brush at **colder temperatures**
- **Surface tolerant** and **outstanding adhesion**
- Modified **2-pack epoxy coating**
- Coating system continuous to cure **under water**
- All **minimal surface preparation** standard
- Soluble salts allowed up to **60mg/m²**
- **One-coat** system

# Why use Humidur® FP Brush LT

Humidur® FP Brush LT has been developed in response to customer feedback, addressing application challenges during colder weather conditions. Humidur® FP Brush LT is **easier to apply in a colder environment**: the product is formulated to ensure a **smooth and efficient flow rate during brush application**. **Only limited preheating is required** thus eliminating delays in planning and execution.

A 400-micron-layer can be applied effortlessly in **one single coat**, at surface **temperatures as low as 0°C** and **relative humidity up to 95%**.

Humidur® FP Brush LT provides the identical superior corrosion protection as all other variants under the Humidur® FP range: **a long-term corrosion protection with a solvent-free and environmentally friendly formula.**

# More information:

- Application Guide
- Technical Data Sheet
- Material Safety Data Sheet

**ENVIRONMENTALLY FRIENDLY**

**ACOTEC NV**
Industrielaan 8, Zuid III
9320 Erembodegem
Belgium

+32 (0)53 83 86 60
info@humidur.com

www.acotec.be
www.humidur.com