HUMIDUR.

Let's face corrosion.

Humidur® FP Quick Repair

Humidur® FP Quick Repair, with its straightforward application, has been specifically developed for **the repair of coatings** and for small/difficult to reach areas of application. It offers **high quality repairs** of coating systems in **one layer**. It can also be used for very small applications in new constructions **to limit waste of product and time.**

PROPERTIES

Compatible with most epoxy, polyester and vinyl ester coatings

Long term protection in highly corrosive environments

perfectly predosed so no possibility for mixing errors

Can be **easily spread out** over surface by brush

Surface tolerant and **outstanding adhesion**

Excellent abrasion and impact **resistance**

Remainder of tube can be **used at later moment**

Pot life becomes **irrelevant**

Single coat system

Curing under water

Environmentally friendly

How to use

It comes in pre-dosed tubes and it is applied by a standard side-by-side dispensing gun, either sourced locally or available from Acotec. Only the amount that is needed, however small, is **mixed automatically at the correct ratio in the tip, eliminating waste and mixing errors**.

Once the coating has been ejected from the dispensing gun, use a brush to evenly spread out the Humidur FP QR product to achieve the required or specified DFT. If there is still product left in the cartridge after application, screw off the mixing nozzle and dispose the nozzle, clean the tip of the cartridge and close for a next repair.

More information:

- Application guide
- Technical Data Sheet
- Material Safety Data Sheet

Where to use?

Humidur FP QR has been designed to **simplify coating repairs in the most extreme and aggresive environments**:

- Marine environment
- Offshore wind and offshore oil & gas
- Petrochemical industry
- Construction
- Structural steel, etc...

Humidur FP QR is **therefore ideal for use in the most difficult application conditions** (e.g. confined spaces, rope-access, ...)

ACOTEC NV
Industrielaan 8, Zuid III
9320 Erembodegem
Belgium

+32 (0)53 83 86 60
info@humidur.com

www.acotec.be
www.humidur.com